Author Index 2006

Abdalla, H	A novel approach to collaborative product design and development environment	1997
Abdalla, H S	A cost-effective knowledge-based reasoning system for design for automation	729
Abdalla, H S	The performance and oxidation stability of sustainable metalworking fluid derived from vegetable extracts	2027
Abukhshim, N A	An investigation of tool chip contact phenomena in high-speed turning using coated tools	657
Aggarwal, M L	Effect of surface roughness on the fretting fatigue behaviour of EN45A spring steel	1325
Agouridas, V	Early alignment of design requirements with stakeholder needs	1483
Agrawal, V P	Effect of surface roughness on the fretting fatigue behaviour of EN45A spring steel	1325
Ajoku, U	Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts	1077
Akiyama, M	Suppression of bending phenomenon of steel tube in diameter reduction by cold press	627
Alder, G	Two-dimensional tool design for two-dimensional equilibrium electrochemical machining die-sinking using a numerical method	637
Aliyev, R	Improving tool-grinding conditions by variation in process kinematics	847
Alshennawy, A A	A new computer vision algorithm for the extraction of straight and curved features of two-dimensional products	1141
Alves, M L	On the analysis of the expansion and reduction of thin-walled tubes using a die	823
Amaitik, S M	Tool-life modelling of carbide and ceramic cutting tools using multi-linear regression analysis	129
Anderson, M C	Laser-assisted machining of an austenitic stainless steel: P550	2055
Andreasen, J L	Bending under tension test with direct friction measurement	73
Aoyama, K-I	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
Arentoft, M	Measurements of normal and frictional forces in a rolling process	59
Arentoft, M	Methods and devices used to measure friction in rolling	49
Arif, A F M	Plastic deformation of steel surface due to laser shock processing	857
Arrazola, P J	New methods for tool failure detection in micromilling	137
Atharifar, H	Monitoring and processing the acoustic emission signals from the friction-stir-welding process	1673
Aurich, J C	Experimental investigation of burr formation in the surface grinding of tool steel	489
Aurich, J C	Finite element simulation of chip formation coupled with process dynamics	1597
Backhouse, C J	Developing a methodology for aligning supply chains from a relationships perspective	961
Backhouse, C J	The implications of organizational culture and trust in the working of virtual teams	951
Backhouse, C J	Transformational leadership and organizational culture: the situational strength perspective	941
Baines, T	State-of-the-art in lean design engineering: a literature review on white collar lean	1539
Balamurugan, K	Design and optimization of manufacturing facilities layouts	1249
Ball, A	An introduction to unwrapping algorithms for the realistic construction of pattern shapes	589
Bamforth, P E	Pulsed laser scalloping of decorative lace	1875
Bamforth, P	Lace edge quality assessment	1863
Barber, K D	Cost allocation for business process simulation models	695
Barletta, M	Local mechanical and morphological characterization of friction stir-welded butt joints	813
Basavarajappa, S	Turning of particulate metal matrix composites - review and discussion	1189
Baxter, D	A methodology for best practice knowledge management	1717
Baxter, L F	The novel combination of Taguchi methods and texture profile analysis applied to the optimization of laboratory-based biscuit manufacturing	273
Bay, N	Bending under tension test with direct friction measurement	73
Bay Niels	Contact modelling in resistance welding. Part 1: algorithms and numerical verification	599
Bay Niels	Contact modelling in resistance welding. Part 2: Experimental validation	607
Behrens, B-A	Shortening tool setting time for transfer presses	533
Bianchi, G	Machine tools mechatronic analysis	345
Bissey-Breton, S	Integration of tool geometry in prediction of cutting forces during milling of hard materials	579
Black, I	The novel combination of Taguchi methods and texture profile analysis applied to the optimization of laboratory-based biscuit manufacturing	273
Black, I	Role of polymers in the provision of cost-effective, corrosion-resistant, high-pressure pipework with complex geometry	1889
Blackhall, R B	The novel combination of Taguchi methods and texture profile analysis applied to the optimization of laboratory-based biscuit manufacturing	273
Blake, D	Force characteristics of self-piercing riveting	1259
Bombiński, S	Hierarchical strategies in tool wear monitoring	375
Braun, O	Experimental investigation of burr formation in the surface grinding of tool steel	489
Brissaud, D	Computer aided process planning, strategy, and models in the aircraft industry	541
Buffa, G	AA6082-T6 friction stir welded joints fatigue resistance: influence of process parameters	805
Buffa, G	Friction stir welding of AA6082-T6 T-joints: process engineering and performance measurement	669
Buffa, G	Local mechanical and morphological characterization of friction stir-welded butt joints	813

© IMechE 2006

Burns, N D	Developing a methodology for aligning supply chains from a relationships perspective	961
Burns, N D	The implications of organizational culture and trust in the working of virtual teams	951
Burns, N D	Transformational leadership and organizational culture: the situational strength perspective	941
Byon, S M	Study on roll force and dynamic recrystallization of high-strength interstitial-free steels in hot rolling	1059
Cader, R	An introduction to unwrapping algorithms for the realistic construction of pattern shapes	589
Capponi, V	Computer aided process planning, strategy, and models in the aircraft industry	541
Cardoso, A	Laser cladding: an experimental study of geometric form and hardness of coating using statistical analysis	1549
Carpineta, P	The UK electronics manufacturing industry 1997-2003: a case study of the effect of globalization	1373
Casalino, G	Numerical simulation of multi-point capacitor discharge welding of AISI 304 bars	647
Casamichele, L	Local mechanical and morphological characterization of friction stir-welded butt joints	813
Case, K	A methodology for best practice knowledge management	1717
Chae Soo-Won	Triangular and quadrilateral finite element mesh generation on poorly parameterized free-form surfaces	295
Chandramohan, G	Turning of particulate metal matrix composites - review and discussion	1189
Chang Chuan-Wei	Estimation of thermal deformation in machine tools using the hybrid autoregressive moving-average - neural network model	1317
Chang Yeon-Pun	Estimation of thermal deformation in machine tools using the hybrid autoregressive moving-average - neural network model	1317
Chapman, P	Integration of measurement planning with aggregate product modelling for spacecraft design and assembly	1687
Chatha, K A	Combined discrete event simulation and systems thinking-based framework for management decision support	1969
Chen, C M	Parametric finite element analysis of stress evolution during friction stir welding	1359
Chen Chun-Jen	Developing a tapping and drilling measurement system for a performance test using a laser diode, position-sensing detector, and laser interferometer	2077
Chen Shang-Liang	Kinematics and workspace analysis of a six-degree-of-freedom optic fibre positioning stage using the Denavit-Hartenberg notation method	767
Chen, Y P	Negotiation-based task allocation in an open supply chain environment	975
Cheng, C W	Feedrate control for non-uniform rational B-spline motion command generation	1855
Cheng Feng-Tsung	Optimal production lot sizing with backlogging, random defective rate, and rework derived without derivatives	1559
Cheon, J S	A novel technique of friction and material property measurement by tip test in cold forging	81
Cheung, C F	A knowledge-based infotronics supervisory system for intelligent service automation	745
Cheung, C F	Modelling and simulation of freeform surface generation in ultra-precision raster milling	1787
Cheung, C F	Theoretical and experimental evaluation of surface quality for optical freeform surfaces	1439
Chiu Yuan-Shyi Peter	Optimal production lot sizing with backlogging, random defective rate, and rework derived without derivatives	1559
Chodnikiewicz, K	Bending under tension test with direct friction measurement	73
Choi Young	Triangular and quadrilateral finite element mesh generation on poorly parameterized free-form surfaces	295
Chou, Y K	Three-dimensional finite element analysis simulations of the fused deposition modelling process	1663
Choudhary, A K	An evolutionary approach for multi-pass turning operations	145
Choudhary, A K	Part selection and operation-machine assignment in a flexible manufacturing system environment: a genetic algorithm with chromosome differentiation-based methodology	677
Choudhury, A K	An integrated fuzzy-based decision support system for the selection of lean tools: a case study from the steel industry	1735
Chu Ming-Hui	Estimation of thermal deformation in machine tools using the hybrid autoregressive moving-average - neural network model	1317
Chung Ming-Yu	Metal removal rate of the electrochemical mechanical polishing technology for stainless steel - the electrochemical characteristics	525
Cirello, A	AA6082-T6 friction stir welded joints fatigue resistance: influence of process parameters	805
Clarkson, P J	Development of a product audit tool	1157
Clifton, D	Two-dimensional tool design for two-dimensional equilibrium electrochemical machining die-sinking using a numerical method	637
Cochrane, S	A methodology for best practice knowledge management	1717
Çoğun, C	An experimental investigation on the effect of powder mixed dielectric on machining performance in electric discharge machining	1035
Collie, G J	Role of polymers in the provision of cost-effective, corrosion-resistant, high-pressure pipework with complex geometry	1889
Crouse, P L	A three-dimensional transient model for the analysis of thermal history during laser-based grout removal	869
Cui Yaodong	A recursive algorithm for generating homogeneous T-shape cutting patterns	1767
Culley, S J	A formal design for changeover methodology. Part 1: theory and background	1225
Culley, S J	A formal design for changeover methodology. Part 2: methodology and case study	1237
D'Acquisto, L	Springback effect evaluation in three-dimensional stamping processes at the varying of blankholder force	1827
Dabrowski, L	Analysis of abrasive flow machining with an electrochemical process aid	397
Dani, S	A methodology for best practice knowledge management	1717
Dani, S S	Developing a methodology for aligning supply chains from a relationships perspective	961
Dani, S S	The implications of organizational culture and trust in the working of virtual teams	951
Dani, S S	Transformational leadership and organizational culture: the situational strength perspective	941
Daniel, J A	A cyclic design approach applied to a cervical screening device	307

 © IMechE 2006

Dariani, B M	Theoretical and experimental analysis of the axisymmetric hydromechanical deep drawing process	1429
Darvizeh, A	Pareto optimization of energy absorption of square aluminium columns using multi-objective genetic algorithms	213
Dashora, Y	Ant colony optimization to select the best process plan in an automated manufacturing environment	1457
Datta, G L	A study on the hot tearing in AL-1% Sn cast alloys	1131
Datta, G L	Three-dimensional finite element analysis to predict the effects of shielded metal arc welding process parameters on temperature distributions and weldment zones in butt and one-sided fillet welds	837
Davim, J P	Experimental studies on drilling of aluminium (AA1050) under dry, minimum quantity of lubricant, and flood-lubricated conditions	1605
de Grave, A	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
De Oliveira Valente, C M	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
de Pennington, A	Early alignment of design requirements with stakeholder needs	1483
De Silva, A K M	Process energy analysis for aluminium alloy and stainless steel in laser-assisted jet electrochemical machining	405
Deshayes, L	Proposed methodology for optimizing grooving operations of ferrous sintered material	555
Deiab, I M	On the effect of fixture layout on part stability and flatness during machining: a finite element analysis	1613
del Pozo, D	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
Dewhurst, F	Cost allocation for business process simulation models	695
Dimov, S	New methods for tool failure detection in micromilling	137
Dimov, S S	Micromilling: material microstructure effects	1807
Ding, S	CNC electrical discharge rough machining of turbine blades	1027
Diplaris, S C	Process capability requirement under maximum material condition	1629
Doege, E	Shortening tool setting time for transfer presses	533
Dornfeld, D A	Review of geometric solutions for milling burr prediction and minimization	459
Dornfeld, D A	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
Dubar, L	Friction and wear phenomena in cold metal forming: an integrated approach	1
Dubar, M	Friction and wear phenomena in cold metal forming: an integrated approach	1
Dubois, A	Friction and wear phenomena in cold metal forming: an integrated approach	1
Duby, S	Low-cost patterning of thin film	1555
Dwivedi, R	Field feature detection and morphing-based process planning for fabrication of geometries and composition control for functionally graded materials	1647
Ehmann, K F	Third-octave-mode chatter in rolling. Part 1: chatter model	1267
Ehmann, K F	Third-octave-mode chatter in rolling. Part 2: stability of a single-stand mill	1279
Ehmann, K F	Third-octave-mode chatter in rolling. Part 3: stability of a multi-stand mill	1293
Elewa, I M	A new computer vision algorithm for the extraction of straight and curved features of two-dimensional products	1141
Engel, U	Micro-texturing of cold forging tools - influence on tool life	27
Erasenthiran, P	Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts	1077
Ertürk, S	A computer vision-based fast approach to drilling tool condition monitoring	1409
Etayo, J M	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
Fan, H G	Three-dimensional model for gas tungsten arc welding with filler metal	1107
Farson, D F	Economic application of piezoelectric actuator in linear vibratory feeding	1959
Fazli, A	Parameter study of the axisymmetric hydromechanical deep drawing process	1937
Fazli, A	Theoretical and experimental analysis of the axisymmetric hydromechanical deep drawing process	1429
Filice, L	Friction stir welding of AA6082-T6 T-joints: process engineering and performance measurement	669
Filice, L	A phenomenology-based approach for modelling material thinning and formability in incremental forming of cylindrical parts	1449
Fratini, L	AA6082-T6 friction stir welded joints fatigue resistance: influence of process parameters	805
Fratini, L	Friction stir welding of AA6082-T6 T-joints: process engineering and performance measurement	669
Fratini, L	Local mechanical and morphological characterization of friction stir-welded butt joints	813
Fratini, L	Springback effect evaluation in three-dimensional stamping processes at the varying of blankholder force	1827
Fricker, D C	The modelling of roundness in cylindrical plunge grinding to incorporate wave shift and external vibration effects	1347
Fuh, J Y H	An enhanced assembly planning approach using a multi-objective genetic algorithm	255
Fuh, J Y H	Negotiation-based task allocation in an open supply chain environment	975
Fuh, J Y H	Study on shrinkage behaviour of direct laser sintering metallic powder	183
Gadelmawla, E S	A new computer vision algorithm for the extraction of straight and curved features of two-dimensional products	1141
Gagliardi, F	Friction stir welding of AA6082-T6 T-joints: process engineering and performance measurement	669
Gandarias, E	New methods for tool failure detection in micromilling	137
Gao, D	Theoretical and experimental evaluation of surface quality for optical freeform surfaces	1439

Gao, D	Tool path generation for machining of optical freeform surfaces by an ultra-precision multiaxis machine tool	2021
Gao Hongming	Agent-based modelling and control of tele-robotic welding system	2087
Gao, J	A methodology for best practice knowledge management	1717
Gilchrist, M D	Analysis of fibre orientation effects on injection moulded components	1909
Gołąbczak, A	Studies of electrodischarge and electrochemical system for dressing of metal bond grinding wheels	413
Golański, D A	The numerical analysis of residual stresses in surface layers deposited by brush-plating method	429
Gomes, R	Experimental studies on drilling of aluminium (AA1050) under dry, minimum quantity of lubricant, and flood-lubricated conditions	1605
Gondal, M A	Plastic deformation of steel surface due to laser shock processing	857
Gouveia, B P P	On the analysis of the expansion and reduction of thin-walled tubes using a die	823
Goyal, S K	A fresh approach to cyclic manufacturing	1729
Green, G	Relative reliability risk assessment applied to original designs during conceptual design phase	917
Greenough, R	State-of-the-art in lean design engineering: a literature review on white collar lean	1539
Groche, P	Development and application of functional surfaces	19
Groche, P	Reduction of friction in deep drawing of aluminium-alloys by generating local hydrostatic pressure lubrication	43
Grześ, J	The numerical analysis of residual stresses in surface layers deposited by brush-plating method	429
Guo, Y W	Operation sequencing optimization using a particle swarm optimization approach	1945
Hague, R	Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts	1077
Hague, R	Cost estimation for rapid manufacturing - laser sintering production for low to medium volumes	1417
Haikun Wei	Scenario-based comparison and evaluation: issues of current business process modelling languages	1527
Hamid, S	The development of nickel-tungsten carbide functionally graded materials by a laser-based direct metal deposition process for industrial slurry erosion applications	1923
Hänle, P	Influence of coating-substrate systems on chip and burr formation in precision manufacturing	499
Hao, L	Evaluation of CO_2 and Nd:YAG lasers for the selective laser sintering of HAPEX®	171
Harding, J A	Part selection and operation-machine assignment in a flexible manufacturing system environment: a genetic algorithm with chromosome differentiation-based methodology	677
Harding, J A	Product design and manufacturing process improvement using association rules	243
Harding, J A	A methodology for best practice knowledge management	1717
Harris, R A	Evaluation of CO_2 and Nd:YAG lasers for the selective laser sintering of HAPEX®	171
Harrison, D	Low-cost patterning of thin film	1555
Harrison, D K	Process energy analysis for aluminium alloy and stainless steel in laser-assisted jet electrochemical machining	405
Hayakawa, K	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
He, W	Direct metal part forming of 316L stainless steel powder by electron beam selective melting	1845
He, Y	Lace edge quality assessment	1863
Henningsen, P	Measurements of normal and frictional forces in a rolling process	59
Henningsen, P	Methods and devices used to measure friction in rolling	49
Herter, S	Studies on conventional cutting of intermetallic nickel and titanium aluminides	1391
Holmes, C H	A cyclic design approach applied to a cervical screening device	307
Hon, B K K	An investigation of tool chip contact phenomena in high-speed turning using coated tools	657
Hopkinson, N	Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts	1077
Hsu Tung Hui	The development of a triple ball bar system for calibration of CNC machine tools	759
Hsu Yeh-Liang	Computer simulation of casting process of aluminium wheels - a case study	203
Hu Pei-Hua	Third-octave-mode chatter in rolling. Part 1: chatter model	1267
Hu Pei-Hua	Third-octave-mode chatter in rolling. Part 2: stability of a single-stand mill	1279
Hu Pei-Hua	Third-octave-mode chatter in rolling. Part 3: stability of a multi-stand mill	1293
Hu, Z	Economic application of piezoelectric actuator in linear vibratory feeding	1959
Huang, J H	Temperature simulation of the preheating period in friction stir welding based on the finite element method	1097
Hughes, J I	The effect of cutting tool material and edge geometry on tool life and workpiece surface integrity	93
Ilamathi, B	Design and optimization of manufacturing facilities layouts	1249
Im, Y T	A novel technique of friction and material property measurement by tip test in cold forging	81
Ishikawa Takashi	Experimental and finite element analysis to predict the dimensional changes of cold-forged spur gear	1051
Ivanov, A	New methods for tool failure detection in micromilling	137
Jackson, M R	Mechatronic design of a novel wood moulder	905
Jackson, M R	Lace edge quality assessment	1863
Jackson, M R	Pulsed laser scalloping of decorative lace	1875
Jamali, A	Pareto optimization of energy absorption of square aluminium columns using multi-objective genetic algorithms	213
Jannif, I	Mobile robotic platform controller with an effective data communication protocol	1175
Jemielniak, K	Tool wear monitoring based on a non-monotonic signal feature	163
Jemielniak, K	Hierarchical strategies in tool wear monitoring	375
Jeon Hyong-Bae	Disassembly scheduling with capacity constraints: minimizing the number of products disassembled	1473
Jeswiet, J	Methods and devices used to measure friction in rolling	49
Ji Jun	A recursive algorithm for generating homogeneous T-shape cutting patterns	1767
Ji Ping	CCATA - a computer-aided angular tolerance charting system	883
Jiao Jianxin	Real options identification and valuation for the financial analysis of product family design	929
Jin, T	Analysis of grinding chip temperature and energy partitioning in high-efficiency deep grinding	615
Jywe Wenyuh	The development of a triple ball bar system for calibration of CNC machine tools	759
Jywe Wenyuh	Developing a tapping and drilling measurement system for a performance test using a laser diode, position-sensing detector, and laser interferometer	2077
Kaczorowski, M	About the structure Cu-Al_2O_3 joints obtained by diffusion bonding	439

 © IMechE 2006

Kang Jun-Gyu	Disassembly sequencing for maintenance: a survey	1697
Kang, S H	A novel technique of friction and material property measurement by tip test in cold forging	81
Kang Yuan	Estimation of thermal deformation in machine tools using the hybrid autoregressive moving-average - neural network model	1317
Karaçay, T	An experimental investigation on the effect of powder mixed dielectric on machining performance in electric discharge machining	1035
Karunakar, D B	A study on the hot tearing in AL-1% Sn cast alloys	1131
Karunakaran, K P	An evolutionary approach for multi-pass turning operations	145
Khan, R A	Effect of surface roughness on the fretting fatigue behaviour of EN45A spring steel	1325
Kiliç, S E	Tool-life modelling of carbide and ceramic cutting tools using multi-linear regression analysis	129
Kim Dae-Wook	Force characteristics of self-piercing riveting	1259
Kim Hwa-Joong	Disassembly scheduling with capacity constraints: minimizing the number of products disassembled	1473
Kim Jun-Gyu	Disassembly scheduling with capacity constraints: minimizing the number of products disassembled	1473
Kim, S I	Study on roll force and dynamic recrystallization of high-strength interstitial-free steels in hot rolling	1059
Kitamura, K	Change of contact condition in multiple-stage cold forging	11
Ko, S L	Development of an effective measurement system for burr geometry	507
Kochhar, A K	The implications of organizational culture and trust in the working of virtual teams	951
Kodali, R	Development of a knowledge-based system for justification of world-class manufacturing systems	1751
Kong, L B	Modelling and simulation of freeform surface generation in ultra-precision raster milling	1787
Kong, L B	Theoretical and experimental evaluation of surface quality for optical freeform surfaces	1439
Kotsikos, G	Role of polymers in the provision of cost-effective, corrosion-resistant, high-pressure pipework with complex geometry	1889
Koura, M M	A new computer vision algorithm for the extraction of straight and curved features of two-dimensional products	1141
Kovacevic, R	Parametric finite element analysis of stress evolution during friction stir welding	1359
Kovacevic, R	Three-dimensional model for gas tungsten arc welding with filler metal	1107
Kovacevic, R	Field feature detection and morphing-based process planning for fabrication of geometries and composition control for functionally graded materials	1647
Kovacevic, R	Monitoring and processing the acoustic emission signals from the friction-stir-welding process	1673
Kovacevic, R	The development of nickel-tungsten carbide functionally graded materials by a laser-based direct metal deposition process for industrial slurry erosion applications	1923
Kozak, J	Studies of electrodischarge and electrochemical system for dressing of metal bond grinding wheels	413
Krimm, R	Shortening tool setting time for transfer presses	533
Krishnaraj, V	Turning of particulate metal matrix composites - review and discussion	1189
Kruszyński, B W	An intelligent system for online optimization of the cylindrical traverse grinding operation	355
Krzyńska, A	About the structure Cu-Al_2O_3 joints obtained by diffusion bonding	439
Kudla, L A	Deformations and strength of miniature drills	389
Kulkarni, S N	Computation of solidification of Al-4.5% Cu alloy casting cast in CO_2-sand mould	1117
Kumar Arun	Real options identification and valuation for the financial analysis of product family design	929
Kumar, P K	Finite element analysis of media used in the centrifugal force assisted abrasive flow machining process	1775
Kumar, S	Ant colony optimization to select the best process plan in an automated manufacturing environment	1457
Kung Yu-Tai	Thermal analysis and compensation of a double-column machining centre	109
Kuroda, K	Suppression of bending phenomenon of steel tube in diameter reduction by cold press	627
Kwok, S K	A knowledge-based infotronics supervisory system for intelligent service automation	745
Kwon Yongnam	Experimental and finite element analysis to predict the dimensional changes of cold-forged spur gear	1051
Köhler, M	Development and application of functional surfaces	19
Lajmert, P	An intelligent system for online optimization of the cylindrical traverse grinding operation	355
Lamikiz, A	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
Lapujoulade, F	Integration of tool geometry in prediction of cutting forces during milling of hard materials	579
Lee, D-E	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
Lee, T C	Strain path analysis of an axisymmetric part within a controlled forming process	191
Lee, W B	A knowledge-based infotronics supervisory system for intelligent service automation	745
Lee, W B	Modelling and simulation of freeform surface generation in ultra-precision raster milling	1787
Lee, W B	Theoretical and experimental evaluation of surface quality for optical freeform surfaces	1439
Lee, W B	Tool path generation for machining of optical freeform surfaces by an ultra-precision multiaxis machine tool	2021
Lee, Y	Study on roll force and dynamic recrystallization of high-strength interstitial-free steels in hot rolling	1059
Lee Dong-Ho	Disassembly scheduling with capacity constraints: minimizing the number of products disassembled	1473
Lee Junghwan	Experimental and finite element analysis to predict the dimensional changes of cold-forged spur gear	1051
Lee Shuo-Jen	Metal removal rate of the electrochemical mechanical polishing technology for stainless steel - the electrochemical characteristics	525
Lee Youngseon	Experimental and finite element analysis to predict the dimensional changes of cold-forged spur gear	1051

Lee Yu-Ming	Metal removal rate of the electrochemical mechanical polishing technology for stainless steel - the electrochemical characteristics	525
Leopold, J	Influence of coating-substrate systems on chip and burr formation in precision manufacturing	499
Lévesque, M	Analysis of fibre orientation effects on injection moulded components	1909
Li, L	A three-dimensional transient model for the analysis of thermal history during laser-based grout removal	869
Li, W D	Operation sequencing optimization using a particle swarm optimization approach	1945
Li Wei	Force characteristics of self-piercing riveting	1259
Li, Z	CNC electrical discharge rough machining of turbine blades	1027
Liao, G Y	Clamp shimming optimization for minimizing sheet-metal assembly deformation	707
Lightfoot, H	State-of-the-art in lean design engineering: a literature review on white collar lean	1539
Lim Ching Moi	Real options identification and valuation for the financial analysis of product family design	929
Lin, F	Direct metal part forming of 316L stainless steel powder by electron beam selective melting	1845
Lin, J	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
Lin Bor Jeng	The development of a triple ball bar system for calibration of CNC machine tools	759
Lin Hong-Dar	Optimal production lot sizing with backlogging, random defective rate, and rework derived without derivatives	1559
Lin, S B	Temperature simulation of the preheating period in friction stir welding based on the finite element method	1097
Liu, C R	Modelling white layer thickness based on the cutting parameters of hard machining	119
Liu, N	Prediction of surface quality from ball-nose milling in high-speed machining applications	571
Liu Chien Hung	The development of a triple ball bar system for calibration of CNC machine tools	759
Liu Jianying	Investigation of the burnishing force during the burnishing process with a cylindrical surfaced tool	893
Lizarralde, R	New methods for tool failure detection in micromilling	137
Löffler, M	Influence of coating-substrate systems on chip and burr formation in precision manufacturing	499
Loftus, M	Prediction of surface quality from ball-nose milling in high-speed machining applications	571
López, J M	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
López de Lacalle, L N	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
Lou, P	Negotiation-based task allocation in an open supply chain environment	975
Lu, C	An enhanced assembly planning approach using a multi-objective genetic algorithm	255
Lu, L	Study on shrinkage behaviour of direct laser sintering metallic powder	183
Luo Hongyun	Investigation of the burnishing force during the burnishing process with a cylindrical surfaced tool	893
Maciejowski, J	Feedrate control for non-uniform rational B-spline motion command generation	1855
Mahapatra, M M	Three-dimensional finite element analysis to predict the effects of shielded metal arc welding process parameters on temperature distributions and weldment zones in butt and one-sided fillet welds	837
Mahdavinejad, D	The behaviour of REFEL SiC under electrodischarge machining	1635
Mahdavinejad, R	The behaviour of REFEL SiC under electrodischarge machining	1635
Maj, R	Machine tools mechatronic analysis	345
Mamedov, A	Improving tool-grinding conditions by variation in process kinematics	847
Mamtani, G	Relative reliability risk assessment applied to original designs during conceptual design phase	917
Marciniak, M	Analysis of abrasive flow machining with an electrochemical process aid	397
Maropoulos, P G	Integration of measurement planning with aggregate product modelling for spacecraft design and assembly	1687
Martins, P A F	Invert-forming of thin-walled tubes using a die	35
Martins, P A F	On the analysis of the expansion and reduction of thin-walled tubes using a die	823
Masood, S A	Transformational leadership and organizational culture: the situational strength perspective	941
Mativenga, P T	An investigation of tool chip contact phenomena in high-speed turning using coated tools	657
Maul, G P	Economic application of piezoelectric actuator in linear vibratory feeding	1959
Maull, R S	An integrated fuzzy-based decision support system for the selection of lean tools: a case study from the steel industry	1735
McClennan, J	Two-dimensional tool design for two-dimensional equilibrium electrochemical machining die-sinking using a numerical method	637
McDonald, S	Relative reliability risk assessment applied to original designs during conceptual design phase	917
McGeough, J A	Process energy analysis for aluminium alloy and stainless steel in laser-assisted jet electrochemical machining	405
McIntosh, R I	A formal design for changeover methodology. Part 1: theory and background	1225
McIntosh, R I	A formal design for changeover methodology. Part 2: methodology and case study	1237
McKay, A	Early alignment of design requirements with stakeholder needs	1483
Medland, A J	A cyclic design approach applied to a cervical screening device	307
Mehraban, M	The behaviour of REFEL SiC under electrodischarge machining	1635
Mileham, A R	A formal design for changeover methodology. Part 1: theory and background	1225
Mileham, A R	A formal design for changeover methodology. Part 2: methodology and case study	1237
Mileham, A R	Operation sequencing optimization using a particle swarm optimization approach	1945
Mill, F	Two-dimensional tool design for two-dimensional equilibrium electrochemical machining die-sinking using a numerical method	637
Min, S	Surface and edge quality variation in precision machining of single crystal and polycrystalline materials	479
Minami, K	A three-dimensional transient model for the analysis of thermal history during laser-based grout removal	869
Minev, R M	Micromilling: material microstructure effects	1807

 © IMechE 2006

Modica, F	Machine tools mechatronic analysis	345
Mollaei Dariani B	Parameter study of the axisymmetric hydromechanical deep drawing process	1937
Mori, M	Geometrical modelling of a ball-end finish milling process for a surface finish	467
Moultrie, J	Development of a product audit tool	1157
Movla-zade, V	Improving tool-grinding conditions by variation in process kinematics	847
Nageswara Rao, D	Influence of emulsifier content on cutting fluid properties	1803
Nageswara Rao, D	Online prediction of diffusion wear on the flank through tool tip temperature in turning using artificial neural networks	2069
Nakao, Y	Measurements and evaluations of drilling burr profile	513
Nakamura, T	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
Narasimha Rao, K V	Turning of particulate metal matrix composites - review and discussion	1189
Nariman-zadeh, N	Pareto optimization of energy absorption of square aluminium columns using multi-objective genetic algorithms	213
Neugebauer, R	Influence of coating-substrate systems on chip and burr formation in precision manufacturing	499
Newnes, L B	A cyclic design approach applied to a cervical screening device	307
Niimi, T	Change of contact condition in multiple-stage cold forging	11
Nitzsche, G	Reduction of friction in deep drawing of aluminium-alloys by generating local hydrostatic pressure lubrication	43
Nowicki, B	Investigation of electro-discharge mechanical dressing (EDMD) of diamond abrasive wheels with conductive bonds using brush electrodes	421
O'Dowd, F	Analysis of fibre orientation effects on injection moulded components	1909
Oduguwa, P A	Cost impact analysis of requirement changes in the automotive industry: a case study	1509
Okui, T	Suppression of bending phenomenon of steel tube in diameter reduction by cold press	627
Olejnik, L	Micromilling: material microstructure effects	1807
Oliveira, C	Laser cladding: an experimental study of geometric form and hardness of coating using statistical analysis	1549
Olsson, D D	Bending under tension test with direct friction measurement	73
Onwubolu, G C	Mobile robotic platform controller with an effective data communication protocol	1175
Owen, G W	A formal design for changeover methodology. Part 1: theory and background	1225
Owen, G W	A formal design for changeover methodology. Part 2: methodology and case study	1237
Owen, G W	Operation sequencing optimization using a particle swarm optimization approach	1945
Özerkan, B	An experimental investigation on the effect of powder mixed dielectric on machining performance in electric discharge machining	1035
Ozturk, F	Hybrid enhanced genetic algorithm to select optimal machining parameters in turning operation	2041
Pajak, P T	Process energy analysis for aluminium alloy and stainless steel in laser-assisted jet electrochemical machining	405
Palanisamy, P	Prediction of cutting force and temperature rise in the end-milling operation	1577
Panella, F	Numerical simulation of multi-point capacitor discharge welding of AISI 304 bars	647
Park, S W	Development of an effective measurement system for burr geometry	507
Park Jung Min	Triangular and quadrilateral finite element mesh generation on poorly parameterized free-form surfaces	295
Pasek, Z J	Exploration of rough sets theory use for manufacturing process monitoring	365
Pasta, S	AA6082-T6 friction stir welded joints fatigue resistance: influence of process parameters	805
Patel, S	The performance and oxidation stability of sustainable metalworking fluid derived from vegetable extracts	2027
Paulo Davim, J	Laser cladding: an experimental study of geometric form and hardness of coating using statistical analysis	1549
Pearce, T R A	The modelling of roundness in cylindrical plunge grinding to incorporate wave shift and external vibration effects	1347
Peixoto, C	Experimental studies on drilling of aluminium (AA1050) under dry, minimum quantity of lubricant, and flood-lubricated conditions	1605
Pham, D T	New methods for tool failure detection in micromilling	137
Pham, D T	Micromilling: material microstructure effects	1807
Piendl, S	Finite element simulation of chip formation coupled with process dynamics	1597
Pierzynowski, R	Investigation of electro-discharge mechanical dressing (EDMD) of diamond abrasive wheels with conductive bonds using brush electrodes	421
Play, D	Proposed methodology for optimizing grooving operations of ferrous sintered material	555
Popov, K	New methods for tool failure detection in micromilling	137
Popov, K B	Micromilling: material microstructure effects	1807
Popp, U	Micro-texturing of cold forging tools - influence on tool life	27
Poulachon, G	Integration of tool geometry in prediction of cutting forces during milling of hard materials	579
Pradhan, B	Three-dimensional finite element analysis to predict the effects of shielded metal arc welding process parameters on temperature distributions and weldment zones in butt and one-sided fillet welds	837
Pritchard, M C	Cost allocation for business process simulation models	695
Probert, D R	Development of a product audit tool	1157
Qi, H B	Direct metal part forming of 316L stainless steel powder by electron beam selective melting	1845
Radhakrishanan, R	Turning of particulate metal matrix composites - review and discussion	1189
Radhakrishna, K	Computation of solidification of Al-4.5% Cu alloy casting cast in CO_2-sand mould	1117
Radziejewska, J	Surface layer morphology due to laser alloying process	447
Rajendran, I	Prediction of cutting force and temperature rise in the end-milling operation	1577
Ramsey, B	Low-cost patterning of thin film	1555
Rao, P V M	Effect of workpiece curvature on cutting forces and surface error in peripheral milling	1399
Rao, V S	Effect of workpiece curvature on cutting forces and surface error in peripheral milling	1399

Rech, J	Influence of cutting edge radius on the wear resistance of powder metallurgy high-speed steel milling inserts	383
Reed, F M	The UK electronics manufacturing industry 1997-2003: a case study of the effect of globalization	1373
Rees, D W A	Forming properties of four high-strength sheet steels	1815
Reik, M P	A formal design for changeover methodology. Part 1: theory and background	1225
Reik, M P	A formal design for changeover methodology. Part 2: methodology and case study	1237
Reuben, R L	Development of a system for monitoring tool wear using artificial intelligence techniques	1333
Ridgway, K	The effect of cutting tool material and edge geometry on tool life and workpiece surface integrity	93
Rigal, J-F	Proposed methodology for optimizing grooving operations of ferrous sintered material	555
Ritchie, J M	The novel combination of Taguchi methods and texture profile analysis applied to the optimization of laboratory-based biscuit manufacturing	273
Rodrigues, J M C	Invert-forming of thin-walled tubes using a die	35
Rogers, B C	Integration of measurement planning with aggregate product modelling for spacecraft design and assembly	1687
Rolt, S	Integration of measurement planning with aggregate product modelling for spacecraft design and assembly	1687
Rosa, P A	Invert-forming of thin-walled tubes using a die	35
Rosa, P A R	On the analysis of the expansion and reduction of thin-walled tubes using a die	823
Rosochowski, A	Micromilling: material microstructure effects	1807
Rowe, A	Lace edge quality assessment	1863
Roy, R	Cost impact analysis of requirement changes in the automotive industry: a case study	1509
Ruffo, M	Cost estimation for rapid manufacturing - laser sintering production for low to medium volumes	1417
Sánchez, D	Cutting parameters for the reduction in material degradation in the laser cutting of advanced high-strength steels	877
Sackett, P J	Cost impact analysis of requirement changes in the automotive industry: a case study	1509
Sahasrabudhe, A	Geometrical modelling of a ball-end finish milling process for a surface finish	467
Saleh, N	Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts	1077
Saravanan, R	Prediction of cutting force and temperature rise in the end-milling operation	1577
Savalani, M M	Evaluation of CO_2 and Nd:YAG lasers for the selective laser sintering of HAPEX®	171
Schaff, M-J	Influence of cutting edge radius on the wear resistance of powder metallurgy high-speed steel milling inserts	383
Schwenck, M	Influence of coating-substrate systems on chip and burr formation in precision manufacturing	499
Selladurai, V	Design and optimization of manufacturing facilities layouts	1249
Serajzadeh, S	Prediction of temperature and velocity distributions during hot rolling using finite elements and neural network	1069
Sfantsikopoulos, M M	Process capability requirement under maximum material condition	1629
Shahbaz, M	Product design and manufacturing process improvement using association rules	243
Shan, H S	Finite element analysis of media used in the centrifugal force assisted abrasive flow machining process	1775
Shankar, R	Ant colony optimization to select the best process plan in an automated manufacturing environment	1457
Shanmugasundaram, S	Prediction of cutting force and temperature rise in the end-milling operation	1577
Sharma, S	Incorporating fractional backordering in the multi-product manufacturing situation with shelf-lives	1151
Sharma, S	A fresh approach to cyclic manufacturing	1729
Sharma, S	Narrowing the gap between continuous and intermittent manufacturing	1901
Sharman, A R C	The effect of cutting tool material and edge geometry on tool life and workpiece surface integrity	93
Shehab, E M	A cost-effective knowledge-based reasoning system for design for automation	729
Sheikh, M A	An investigation of tool chip contact phenomena in high-speed turning using coated tools	657
Sherlock, A	Two-dimensional tool design for two-dimensional equilibrium electrochemical machining die-sinking using a numerical method	637
Shi Jing	Modelling white layer thickness based on the cutting parameters of hard machining	119
Shibata, J-I	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
Shim Hyun Bo	Geometrical mapping for a triangular element. Part 1: optimal blank design	1087
Shim Hyun Bo	Geometrical mapping for a triangular element. Part 2: trimming-line design for flanging operation	1205
Shin, Y C	Laser-assisted machining of an austenitic stainless steel: P550	2055
Silva, R G	Development of a system for monitoring tool wear using artificial intelligence techniques	1333
Singh, A	Mobile robotic platform controller with an effective data communication protocol	1175
Singh, G	An evolutionary approach for multi-pass turning operations	145
Singh, R K	An integrated fuzzy-based decision support system for the selection of lean tools: a case study from the steel industry	1735
Someswara Rao, R N	Online prediction of diffusion wear on the flank through tool tip temperature in turning using artificial neural networks	2069
Song Quanfeng	Contact modelling in resistance welding. Part 1: algorithms and numerical verification	599
Song Quanfeng	Contact modelling in resistance welding. Part 2: Experimental validation	607
Sönmez, M	A computer vision-based fast approach to drilling tool condition monitoring	1409
Sørby, K	High-pressure cooling of face-grooving operations in Ti6Al4V	1621
Soundararajan, V	Monitoring and processing the acoustic emission signals from the friction-stir-welding process	1673

 © IMechE 2006

Spadło, S	Investigation of electro-discharge mechanical dressing (EDMD) of diamond abrasive wheels with conductive bonds using brush electrodes	421
Speight, A	The modelling of roundness in cylindrical plunge grinding to incorporate wave shift and external vibration effects	1347
Sreejith, P S	Experimental studies on drilling of aluminium (AA1050) under dry, minimum quantity of lubricant, and flood-lubricated conditions	1605
Srikant, R R	Influence of emulsifier content on cutting fluid properties	1803
Srinivas	Product design and manufacturing process improvement using association rules	243
Srinivasa Rao, C H	Online prediction of diffusion wear on the flank through tool tip temperature in turning using artificial neural networks	2069
Sriyotha, P	Geometrical modelling of a ball-end finish milling process for a surface finish	467
Stephenson, D J	Analysis of grinding chip temperature and energy partitioning in high-efficiency deep grinding	615
Stosic, N	Evaluating errors in screw rotor machining by tool to rotor transformation	1589
Strano, M	Optimization under uncertainty of sheet-metal-forming processes by the finite element method	1305
Sudermann, H	Experimental investigation of burr formation in the surface grinding of tool steel	489
Sugisawa, M	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
Sunnapwar, V K	Development of a knowledge-based system for justification of world-class manufacturing systems	1751
Szewczyk, T	Analysis of abrasive flow machining with an electrochemical process aid	397
Taşcioğlu, Y	Mechatronic design of a novel wood moulder	905
Tanaka, S	Tribo-characteristics of stainless steel sheets in iterative processes of sheet metal forming	65
Tazil, M	Mobile robotic platform controller with an effective data communication protocol	1175
Taşgin, T T	Tool-life modelling of carbide and ceramic cutting tools using multi-linear regression analysis	129
Tirfie, S	Improving tool-grinding conditions by variation in process kinematics	847
Tiwari, M K	An evolutionary approach for multi-pass turning operations	145
Tiwari, M K	Part selection and operation-machine assignment in a flexible manufacturing system environment: a genetic algorithm with chromosome differentiation-based methodology	677
Tiwari, M K	An integrated fuzzy-based decision support system for the selection of lean tools: a case study from the steel industry	1735
Tiwari, M K	Ant colony optimization to select the best process plan in an automated manufacturing environment	1457
To, S	Modelling and simulation of freeform surface generation in ultra-precision raster milling	1787
To, S	Theoretical and experimental evaluation of surface quality for optical freeform surfaces	1439
To, S	Tool path generation for machining of optical freeform surfaces by an ultra-precision multiaxis machine tool	2021
Tripathi, S	Review of geometric solutions for milling burr prediction and minimization	459
Tsai, M C	Feedrate control for non-uniform rational B-spline motion command generation	1855
Tseng, K C	A novel approach to collaborative product design and development environment	1997
Tsoukalas, V D	A symbolic system for the language-independent classification of welding defects	1839
Tuck, C	Cost estimation for rapid manufacturing - laser sintering production for low to medium volumes	1417
Turner, M	Product design and manufacturing process improvement using association rules	243
Tønnessen, K	High-pressure cooling of face-grooving operations in Ti6Al4V	1621
Uhlmann, E	Studies on conventional cutting of intermetallic nickel and titanium aluminides	1391
Urhan, O	A computer vision-based fast approach to drilling tool condition monitoring	1409
Villeneuve, F	Computer aided process planning, strategy, and models in the aircraft industry	541
Volkan Atli, A	A computer vision-based fast approach to drilling tool condition monitoring	1409
Walia, R S	Finite element analysis of media used in the centrifugal force assisted abrasive flow machining process	1775
Walsh, K	The UK electronics manufacturing industry 1997-2003: a case study of the effect of globalization	1373
Wang, K	CNC electrical discharge rough machining of turbine blades	1027
Wang Fu-Shou	Kinematics and workspace analysis of a six-degree-of-freedom optic fibre positioning stage using the Denavit-Hartenberg notation method	767
Wang Jia-Yeh	Modelling white layer thickness based on the cutting parameters of hard machining	119
Wang, L	Strain path analysis of an axisymmetric part within a controlled forming process	191
Wang Lijiang	Investigation of the burnishing force during the burnishing process with a cylindrical surfaced tool	893
Wang, M H	A systematic approach for the robust design of scalable product platforms	1983
Wang, W M	A knowledge-based infotronics supervisory system for intelligent service automation	745
Wang Yea-Ping	Estimation of thermal deformation in machine tools using the hybrid autoregressive moving-average - neural network model	1317
Wanheim, T	Measurements of normal and frictional forces in a rolling process	59
Watanabe, Y	Measurements and evaluations of drilling burr profile	513
Webb, D P	The UK electronics manufacturing industry 1997-2003: a case study of the effect of globalization	1373
Weston, R H	Combined discrete event simulation and systems thinking-based framework for management decision support	1969
Wilcox, S J	Development of a system for monitoring tool wear using artificial intelligence techniques	1333
Williams, G M	State-of-the-art in lean design engineering: a literature review on white collar lean	1539
Williams, K	Pulsed laser scalloping of decorative lace	1875
Winand, H	Early alignment of design requirements with stakeholder needs	1483
Włosiński, W	About the structure Cu-Al_2O_3 joints obtained by diffusion bonding	439
Wong, Y S	An enhanced assembly planning approach using a multi-objective genetic algorithm	255
Wood, R L	Search space scaling in genetic algorithm-based inverse analyses	715
Wood, R L	The design of experiments for inverse thermal analysis	225
Wu Cheng-Hsien	Thermal analysis and compensation of a double-column machining centre	109
Wu, L	Temperature simulation of the preheating period in friction stir welding based on the finite element method	1097

© IMechE 2006

Wu Lin	Agent-based modelling and control of tele-robotic welding system	2087
Xinming Jin	Scenario-based comparison and evaluation: issues of current business process modelling languages	1527
Xirouchakis, P	Disassembly sequencing for maintenance: a survey	1697
Xirouchakis Paul	Disassembly scheduling with capacity constraints: minimizing the number of products disassembled	1473
Xu Jun	Force characteristics of self-piercing riveting	1259
Xue Jianbin	CCATA - a computer-aided angular tolerance charting system	883
Yamazaki, K	Geometrical modelling of a ball-end finish milling process for a surface finish	467
Yan, Y N	Direct metal part forming of 316L stainless steel powder by electron beam selective melting	1845
Yarrapareddy, E	The development of nickel-tungsten carbide functionally graded materials by a laser-based direct metal deposition process for industrial slurry erosion applications	1923
Yilbas, B S	Plastic deformation of steel surface due to laser shock processing	857
Yildiz, A R	Hybrid enhanced genetic algorithm to select optimal machining parameters in turning operation	2041
Young, R I M	A methodology for best practice knowledge management	1717
Yu Chia-Chieh	Computer simulation of casting process of aluminium wheels - a case study	203
Yuan, R	CNC electrical discharge rough machining of turbine blades	1027
Zekovic, S	Field feature detection and morphing-based process planning for fabrication of geometries and composition control for functionally graded materials	1647
Zekovic, S	The development of nickel-tungsten carbide functionally graded materials by a laser-based direct metal deposition process for industrial slurry erosion applications	1923
Zhang, D	Integration of measurement planning with aggregate product modelling for spacecraft design and assembly	1687
Zhang Guangjun	Agent-based modelling and control of tele-robotic welding system	2087
Zhang, H	Temperature simulation of the preheating period in friction stir welding based on the finite element method	1097
Zhang, J G	Temperature simulation of the preheating period in friction stir welding based on the finite element method	1097
Zhang Lianxin	Agent-based modelling and control of tele-robotic welding system	2087
Zhang, R J	Direct metal part forming of 316L stainless steel powder by electron beam selective melting	1845
Zhang Wenqi	Contact modelling in resistance welding. Part 1: algorithms and numerical verification	599
Zhang Wenqi	Contact modelling in resistance welding. Part 2: Experimental validation	607
Zhang, Y F	Negotiation-based task allocation in an open supply chain environment	975
Zhang, Y	Three-dimensional finite element analysis simulations of the fused deposition modelling process	1663
Zhao Huyue	Third-octave-mode chatter in rolling. Part 1: chatter model	1267
Zhao Huyue	Third-octave-mode chatter in rolling. Part 2: stability of a single-stand mill	1279
Zhao Huyue	Third-octave-mode chatter in rolling. Part 3: stability of a multi-stand mill	1293
Zhong Qunpeng	Investigation of the burnishing force during the burnishing process with a cylindrical surfaced tool	893
Zhou, Z D	Negotiation-based task allocation in an open supply chain environment	975
Zhu, H H	Study on shrinkage behaviour of direct laser sintering metallic powder	183
Zirmi, O	Computer aided process planning, strategy, and models in the aircraft industry	541

Short Communications in Manufacture and Design

Aitchison, D R	Data management in small and medium-sized enterprises using metadata acquired by 'spyware'	797
Allwood, J M	A novel method for the rapid production of inexpensive dies and moulds with surfaces made by incremental sheet forming	323
Asemota, E	Towards the automatic interpretation of ultrasonic non-destructive testing data through the application of image-thresholding and region-growing segmentation	1011
Backhouse, C J	The role of social relationships in improving product development decision making	1017
Bramley, A N	A novel method for the rapid production of inexpensive dies and moulds with surfaces made by incremental sheet forming	323
Brookes, N J	The role of social relationships in improving product development decision making	1017
Burns, N D	The role of social relationships in improving product development decision making	1017
Caine, M	Application of a passive robotic manipulator in exercise testing	1567
Chen Chi Hang	Optimal die design for three-dimensional porthole extrusion using the Taguchi method	1005
Chen Shijin	Multiscale simulation on nanometric cutting of single crystal copper	1217
Cheng Kai	Multiscale simulation on nanometric cutting of single crystal copper	1217
Chu Wenjiang	Multiscale simulation on nanometric cutting of single crystal copper	1217
Coates, G	Implications of the End-of-life Vehicles Directive on the vehicle recovery sector	1211
Cochran, S	Towards the automatic interpretation of ultrasonic non-destructive testing data through the application of image-thresholding and region-growing segmentation	1011
Dainty, A R J	The role of social relationships in improving product development decision making	1017
Edwards, C	Implications of the End-of-life Vehicles Directive on the vehicle recovery sector	1211
Fuh, J Y H	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Galio, A F	Characteristics of titanium parts produced by powder injection moulding	783
Gallagher, S	Towards the automatic interpretation of ultrasonic non-destructive testing data through the application of image-thresholding and region-growing segmentation	1011
Huo Dehong	Multiscale simulation on nanometric cutting of single crystal copper	1217
Jia, C B	Statistical characteristic for detecting weld penetration defects in gas–metal arc welding	793
Kang, J	Use of three-dimensional body motion to free-form surface design	335

 © IMechE 2006

Leaney, P G	Implications of the End-of-life Vehicles Directive on the vehicle recovery sector	1211
Lee Rong Shean	Optimal die design for three-dimensional porthole extrusion using the Taguchi method	1005
Lees, B	Towards the automatic interpretation of ultrasonic non-destructive testing data through the application of image-thresholding and region-growing segmentation	1011
Li Hsiu Ying	Optimal die design for three-dimensional porthole extrusion using the Taguchi method	1005
Liu Yang	Processing of collagen gels to create *in vitro* cell growth matrix without damage to the collagen native structure	787
Loh, H T	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Lu, L	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Mileham, A R	A novel method for the rapid production of inexpensive dies and moulds with surfaces made by incremental sheet forming	323
Morton, S C	The role of social relationships in improving product development decision making	1017
Prieto, P A	Use of three-dimensional body motion to free-form surface design	335
Qin, S	Use of three-dimensional body motion to free-form surface design	335
Rahimifard, S	Implications of the End-of-life Vehicles Directive on the vehicle recovery sector	1211
Rees, D W A	Errors in the r value when based upon total strain measurements	989
Ridgman, T W	A novel method for the rapid production of inexpensive dies and moulds with surfaces made by incremental sheet forming	323
Rothberg, S J	Application of a passive robotic manipulator in exercise testing	1567
Schaeffer, L	Characteristics of titanium parts produced by powder injection moulding	783
Selladurai, V	Application of response surface methodology for predicting flank wear in turning operation	997
Shanmugam, R	Application of response surface methodology for predicting flank wear in turning operation	997
Shaw, A I	Data management in small and medium-sized enterprises using metadata acquired by 'spyware'	797
Sun Xizhi	Multiscale simulation on nanometric cutting of single crystal copper	1217
Tang, Y	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Tee, D Z S	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Thangavel, P	Application of response surface methodology for predicting flank wear in turning operation	997
Thian, S	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Wang Shui To	Optimal die design for three-dimensional porthole extrusion using the Taguchi method	1005
Williams, D J	Processing of collagen gels to create *in vitro* cell growth matrix without damage to the collagen native structure	787
Wong, Y S	Formation of micromoulds via UV lithography of SU8 photoresist and nickel electrodeposition	329
Wright, D K	Use of three-dimensional body motion to free-form surface design	335
Wu, C S	Statistical characteristic for detecting weld penetration defects in gas–metal arc welding	793
Yang, C	Application of a passive robotic manipulator in exercise testing	1567

© IMechE 2006